

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1003	711/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:41
L5	793	711/111.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:42
L6	1093	711/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:42
L7	6440	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls. 365/189.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:45
L8	17597	(bus near3 (wide width))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:45
L9	386	L8 with (half halves)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:45
L10	2707	L4 L5 L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46
L11	21	L9 and (L10 L7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46

L12	398	(data with bus with bit with number with (decreas\$3 reduc\$3 hal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46
L13	13	L10 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46
L14	6266	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47
L15	161006	(data near3 bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47
L16	466	L14 and L15 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47
L17	6	L16 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47
L18	399	(data near5 bus near5 width) with (decreas\$3 reduc\$3 half\$2 halv\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47
L19	21	L14 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:47

L20	82	((bank block array) and ((Input adj3 output) or (I/O)) and (data near3 bus) and (data near3 pair) and (switch\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:52
L21	0	((bank block array) and ((Input adj3 output) or (I/O)) and ((n/2 adj bit) near3 data near3 bus) and ((n/2 adj bit) near3 data near3 pair) and (switch\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:53
L22	0	((bank block array) and ((Input adj3 output) or (I/O)) and ((n/2 adj bit) near3 data near3 bus) and ((n/2 adj bit) near3 data near3 pair) and (switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:53
S1	4218	((n\$1 near3 bit near3 data) same (bank block array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 13:25
S2	50114	((I/O (input adj output)) adj3 (circuit means))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:08
S3	979	(first near3 (data adj3 pair)) and (second near3 (data adj3 pair))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:46
S4	7	((n\$1 adj2 two) adj3 bit) near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:09
S5	0	S1 and S2 and S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:58
S6	6035	(365/230.03 365/189.05 365/214).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:07

S7	6035	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:29
S8	73486	((I/O (input adj output)) adj3 (circuit means bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:10
S9	215	S3 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:11
S10	64	S7 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:11
S11	0	S10 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 16:09
S12	92399	((I/O (input adj output)) adj3 (circuit means bus line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:10
S13	272	S3 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:11
S14	75	S7 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S15	6	S1 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S16	13	((bank block array) and ((input adj output) (I/O)) and (data adj3 bus) and (switch\$3 near3 (means circuit unit)) and (first near3 data near3 pair) and (second near3 data near3 pair)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:30

S17	6203	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls. 365/189.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:29
S18	979	(first near3 (data adj3 pair)) and (second near3 (data adj3 pair))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S19	92399	((I/O (input adj output)) adj3 (circuit means bus line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S20	272	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S21	6203	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls. 365/189.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S22	77	S21 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S23	4218	((n\$1 near3 bit near3 data) same (bank block array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:32
S24	6	S23 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:33
S25	83678	(bitline digitline (bit adj line) (digit adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:45
S26	2537	(main global) adj2 S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:46

S27	9994	pair adj2 S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:46
S28	3498	365/230.03.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:46
S29	72	S26 same S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:48
S30	2131	(data near3 bus near3 pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:46
S31	8	S30 near3 (half hal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:48
S32	1205	(data near5 bus near5 line) with (reduc\$3 hal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:55
S33	2	S32 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:52
S34	1283	(data near5 bus near5 (pair line)) with (reduc\$3 hal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:55

S35	372	(data near5 bus near5 (pair line)) adj5 (reduc\$3 hal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:55
S36	33	S28 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:55
S37	20	(number with data with bus with line with pair with (reduc\$3 decreas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:14
S38	4	S28 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:08
S39	146	((bit near3 number) with data with bus with (reduc\$3 decreas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:15
S40	147	((bit near3 number) with data with bus with (reduc\$3 decreas\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:17
S41	4	S28 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:15
S42	4	S28 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:15
S43	217	((bit near3 number) with data with bus with (reduc\$3 decreas\$3 hal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:18

S44	4	S43 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:18
S45	383	(data with bus with bit with number with (decreas\$3 reduc\$3 hal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:34
S46	9	S28 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:34
S47	6068	365/230.03.ccls. 365/189.05.ccls. 365/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:41
S48	17029	(bus near3 (wide width))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:35
S49	378	S48 with (half halves)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:35
S50	8	S47 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46
S51	386	(data with bus with bit with number with (decreas\$3 reduc\$3 hal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:38

S52	14	S47 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 19:46
S53	156525	(data near3 bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:49
S54	448	S47 and S53 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:47
S55	6	S54 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:48
S56	383	(data near5 bus near5 width) with (decreas\$3 reduc\$3 half\$2 halv\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:50
S57	20	S47 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:51
S58	2	"6272594".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 13:26